


DIMENSION LIST

X-RINGS

STANDARD TYPE



Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390000074103	0.74	1.02
390000106125	1.06	1.25
390000107128	1.07	1.27
390000142152	1.42	1.52
390000178102	1.78	1.02
390000178178	1.78	1.78
390000200150	2.00	1.50
390000257170	2.57	1.78
390000290178	2.90	1.78
390000368178	3.68	1.78
390007384533	3.84	5.33
390000400170	4.00	1.78
390000434353	4.34	3.53
390000442260	4.42	2.62
390000447178	4.47	1.78
390000462178	4.62	1.78
390000528178	5.28	1.78
390000570178	5.70	1.78
390000602262	6.02	2.62
390000607178	6.07	1.78
390000665178	6.65	1.78
390000759262	7.59	2.62
390000765170	7.65	1.78
390000765178	7.65	1.78

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390000820178	8.20	1.78
390000870178	8.70	1.78
390000912353	9.12	3.53
390000919262	9.19	2.62
390000925179	9.25	1.78
390000970170	9.70	1.78
390000980262	9.80	2.62
390001020262	10.20	2.62
390001077262	10.77	2.62
390001082178	10.82	1.78
390001170262	11.70	2.62
390001229353	12.29	3.53
390001237262	12.37	2.62
390001242178	12.42	1.78
390001280262	12.80	2.62
390001364533	13.64	5.33
390001370262	13.70	2.62
390001387353	13.87	3.53
390001394262	13.94	2.62
390001400178	14.00	1.78
390001470262	14.70	2.62
390001480262	14.80	2.62
390001554262	15.54	2.62
390001560178	15.60	1.78



BEST PARTNER
SEALING · BEARING

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390001620262	16,20	2,62
390001712260	17,12	2,62
390001717178	17,17	1,78
390001775262	17,75	2,62
390001820353	18,20	3,53
390001850200	18,50	2,00
390001872262	18,72	2,62
390001877170	18,77	1,78
390001950200	19,50	2,00
390001960262	19,60	2,62
390000870178	19,93	3,53
390000912353	20,28	2,62
390000919262	20,63	1,78
390000925179	20,99	3,53
390000970170	21,34	5,33
390000980262	21,69	3,53
390001020262	22,04	2,62
390001077262	22,39	2,62
390001082178	22,74	1,78
390001170262	23,10	2,62
390001229353	23,45	1,78
390001237262	23,80	3,53
390001242178	24,15	5,33
390001280262	24,50	3,53
390001364533	24,86	2,62
390001370262	25,21	1,78
390001387353	25,56	3,53
390001394262	25,91	3,53
390001400178	26,26	2,62
390001470262	26,61	2,62
390002757353	27,57	3,53
390002794533	27,94	5,33
390002817353	28,17	3,53
390002825262	28,25	2,62
390002830178	28,30	1,78
390002974353	29,74	3,53
390002982262	29,82	2,62
390002987178	29,87	1,78
390003130350	31,34	3,53
390003142262	31,42	2,62
390003147178	31,47	1,78
390003204353	32,04	3,53
390003292353	32,92	3,53
390003299262	32,99	2,62
390003305178	33,05	1,78
390003380353	33,80	3,53
390003429530	34,29	5,33
390003452350	34,52	3,53
390003459260	34,59	2,62
390003465178	34,65	1,78
390003609350	36,09	3,53
390003617260	36,17	2,62

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390003747533	37,47	5,33
390003770353	37,69	3,53
390003777265	37,77	2,62
390003782178	37,82	1,78
390003920533	39,20	5,33
390003934262	39,34	2,62
390003964533	39,64	5,33
390004060530	40,64	5,33
390004087353	40,87	3,53
390004094262	40,94	2,62
390004100170	41,00	1,78
390004180533	41,80	5,33
390004252262	42,52	2,62
390004380530	43,82	5,33
390004405350	44,05	3,53
390004412262	44,12	2,62
390004417178	44,17	1,78
390004504533	45,04	5,33
390004520530	45,20	5,33
390004569262	45,69	2,62
390004584533	45,84	5,33
390004699533	46,99	5,33
390004722353	47,22	3,53
390004729262	47,29	2,62
390004735178	47,35	1,78
390004780501	47,80	5,33
390004920533	49,20	5,33
390005017533	50,17	5,33
390005040353	50,40	3,53
390005047262	50,47	2,62
390005052170	50,52	1,78
390005200533	52,00	5,33
390005207262	52,07	2,62
390005334534	53,34	5,33
390005335533	53,35	5,33
390005357353	53,57	3,53
390005370178	53,70	1,78
390005384262	53,84	2,62
390005450533	54,50	5,33
390005525262	55,25	2,62
390005652533	56,52	5,33
390005675353	56,75	3,53
390005682262	56,82	2,62
390005687178	56,87	1,78
390005752533	57,52	5,33
390005842262	58,42	2,62
390005969533	59,69	5,33
390005992353	59,92	3,53
390006000262	60,00	2,62
390006005178	60,05	1,78
390006154533	61,54	5,33
390006160262	61,60	2,62



BEST PARTNER
SEALING · BEARING

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390006280530	62,87	5,33
390006310353	63,10	3,53
390006317262	63,17	2,62
390006322178	63,22	1,78
390006459533	64,59	5,33
390006477262	64,77	2,62
390006604533	66,04	5,33
390006627353	66,27	3,53
390006764533	67,64	5,33
390006922533	69,22	5,33
390006944353	69,44	3,53
390006945353	69,45	3,53
390006952262	69,52	2,62
390006957178	69,57	1,78
390007064533	70,64	5,33
390007112262	71,12	2,62
390007239533	72,39	5,33
390007262353	72,62	3,53
390007269262	72,69	2,62
390007275178	72,75	1,78
390007557533	75,57	5,33
390007580353	75,79	3,53
390007587260	75,87	2,62
390007592178	75,92	1,78
390007874533	78,74	5,33
390007897353	78,97	3,53
390008009533	80,09	5,33
390008050533	80,50	5,33
390008190530	81,92	5,33
390008215353	82,15	3,53
390008222262	82,22	2,62
390008227178	82,27	1,78
390008339533	83,39	5,33
390008509533	85,09	5,33
390008532353	85,32	3,53
390008664533	86,64	5,33
390008827533	88,27	5,33
390008850353	88,50	3,53
390008857262	88,57	2,62
390008862171	88,62	1,78
390008959533	89,59	5,33
390009144533	91,44	5,33
390009167353	91,67	3,53
390009462533	94,62	5,33
390009485353	94,84	3,53
390009492262	94,92	2,62
390009497178	94,97	1,78
390009779533	97,79	5,33
390010049533	100,49	5,33
390010097533	100,97	5,33
390010119353	101,19	3,53
390010120353	101,20	3,53

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390075803530	75,80	3,53
390010127262	101,27	2,62
390010132178	101,32	1,78
390010234533	102,34	5,33
390010400353	104,37	3,53
390010414533	104,14	5,33
390010580533	105,80	5,33
390010732533	107,32	5,33
390010754353	107,54	3,53
390010762262	107,62	2,62
390010767178	107,67	1,78
390011049533	110,49	5,33
390011072353	110,72	3,53
390011300353	113,90	3,53
390011367532	113,67	5,33
390011367699	113,67	6,99
390011367700	113,67	7,00
390011367701	113,67	7,00
390011397262	113,97	2,62
390011402178	114,02	1,78
390011584699	115,84	6,99
390011684533	116,84	5,33
390011684700	116,84	7,00
390011707353	117,07	3,53
390012002533	120,02	5,33
390012002699	120,02	6,99
390012025353	120,25	3,53
390012030260	120,32	2,62
390012032262	120,32	2,62
390012037178	120,37	1,78
390012319533	123,19	5,33
390012319700	123,19	7,00
390012342353	123,42	3,53
390012637533	126,37	5,33
390012637700	126,37	7,00
390012660353	126,60	3,53
390012667262	126,67	2,62
390012954533	129,54	5,33
390012954699	129,54	6,99
390012977353	129,77	3,53
390013272533	132,72	5,33
390013272700	132,72	7,00
390013294353	132,94	3,53
390013302262	133,02	2,62
390013589533	135,89	5,33
390013589700	135,89	7,00
390013612353	136,12	3,53
390013906533	139,07	5,33
390013907699	139,07	6,99
390013907701	139,07	7,00
390013937262	139,37	2,62
390014224533	142,24	5,33



BEST PARTNER
SEALING · BEARING

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390014224700	142,24	7,00
390014247353	142,47	3,53
390014542533	145,42	5,33
390014542699	145,42	6,99
390014565353	145,65	3,53
390014572262	145,72	2,62
390014849533	148,49	5,33
390014859700	148,59	7,00
390014882353	148,82	3,53
390015000140	150,00	14,00
390015177533	151,77	5,33
390015177700	151,77	7,00
390015200353	152,00	3,53
390015207262	152,07	2,62
390015502699	155,02	6,99
390015812533	158,12	5,33
390015812700	158,12	7,00
390015835353	158,35	3,53
390015842262	158,42	2,62
390016102699	161,02	6,99
390016400533	164,47	5,33
390016447699	164,47	6,99
390016470352	164,70	3,53
390016702699	167,02	6,99
390017082533	170,82	5,33
390017082699	170,82	6,99
390017105353	171,05	3,53
390017112262	171,12	2,62
390017352699	173,52	6,99
390017717533	177,17	5,33
390017717700	177,17	7,00
390017740353	177,40	3,53
390017747262	177,47	2,62
390018052699	180,52	6,99
390018350530	183,50	5,33
390018352700	183,52	7,00
390018375353	183,75	3,53
390018602699	186,02	6,99
390018987533	189,87	5,33
390018987700	189,87	7,00
390018990533	189,87	5,33
390019000353	190,10	3,53
390019017262	190,17	2,62
390019202699	192,02	6,99
390019622700	196,22	7,00
390019645353	196,45	3,53
390019652262	196,52	2,62
390019902699	199,02	6,99
390020257700	202,57	7,00
390020280353	202,80	3,53
390020287262	202,87	2,62
390020680699	206,80	6,99

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390020915353	209,15	3,53
390021102699	211,02	6,99
390021527700	215,27	7,00
390021549353	215,49	3,53
390021557262	215,57	2,62
390021902699	219,02	6,99
390022162533	221,62	5,33
390022185353	221,85	3,53
390022192262	221,92	2,62
390022350699	223,50	6,99
390022790700	227,97	7,00
390022820353	228,20	3,53
390023102699	231,02	6,99
390023455353	234,55	3,53
390023462262	234,62	2,62
390023500699	235,00	6,99
390024067533	240,67	5,33
390024067700	240,67	7,00
390024090353	240,90	3,53
390024302699	243,02	6,99
390024703533	247,03	5,33
390024724353	247,24	3,53
390024800699	248,00	6,99
390025305300	253,37	5,33
390025340700	253,40	7,00
390025969900	259,00	6,99
390026607700	266,07	7,00
390026629353	266,29	3,53
390027310699	273,10	6,99
390027877530	278,77	5,33
390027899353	278,99	3,53
390028400699	284,00	6,99
390028750699	287,50	6,99
390029157700	291,47	7,00
390029169353	291,69	3,53
390029800699	298,00	6,99
390030417533	304,17	5,33
390030417699	304,17	6,99
390030439353	304,39	3,53
390031000699	310,00	6,99
390031687701	316,87	7,00
390032350699	323,50	6,99
390032957533	329,57	5,33
390032957700	329,57	7,00
390032979353	329,79	3,53
390033650699	336,50	6,99
390034227700	342,27	7,00
390034850699	348,50	6,99
390035497700	354,97	7,00
390035519353	355,19	3,53
390036250699	362,50	6,99
390036767700	367,67	7,00



BEST PARTNER
SEALING · BEARING

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390037400699	374,00	6,99
390038037700	380,37	7,00
390038059353	380,59	3,53
390038750699	387,50	6,99
390039307700	393,07	7,00
390039800353	398,00	3,53
390040100699	401,00	6,99
390041796700	417,96	7,00
390043065700	430,65	7,00
390043066530	430,66	5,33

Material NBR		
Article-No.	Inside Ø d1	Thickness d2
390045606533	456,06	5,33
390045606700	456,06	7,00
390046876700	468,76	7,00
390047200699	472,00	6,99
390048138533	481,38	5,33
390050687700	506,87	7,00
390053221533	532,21	5,33
390069000533	690,00	5,33
390076200353	762,00	3,53

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390000074102	0,74	1,02
390000106120	1,06	1,25
390000142150	1,42	1,52
390000178100	1,78	1,02
390000178170	1,78	1,78
390000200151	2,00	1,50
390000257178	2,57	1,78
390000290170	2,90	1,78
390000368170	3,68	1,78
390000400179	4,00	1,78
390000442262	4,42	2,62
390000447170	4,47	1,78
390000462170	4,62	1,78
390000528170	5,28	1,78
390000570170	5,70	1,78
390000600100	6,00	1,00
390000602260	6,02	2,62
390000607170	6,07	1,78
390000665170	6,65	1,78
390000700200	7,00	2,00
390000759260	7,59	2,62
390000820170	8,20	1,78
390000870170	8,70	1,78
390000919260	9,19	2,62
390000925178	9,25	1,78
390000970176	9,70	1,78
390000980260	9,80	2,62
390001020260	10,20	2,62
390001069353	10,69	3,53
390001077263	10,77	2,62
390001082170	10,82	1,78
390001170263	11,70	2,62
390001229350	12,29	3,53
390001237260	12,37	2,62
390001242170	12,42	1,78
390001280260	12,80	2,62

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390001370260	13,70	2,62
390001387350	13,87	3,53
390001394260	13,94	2,62
390001400170	14,00	1,78
390001480260	14,80	2,62
390001554260	15,54	2,62
390001560170	15,60	1,78
390001620260	16,20	2,62
390001712262	17,12	2,62
390001717170	17,17	1,78
390001820350	18,20	3,53
390001864353	18,64	3,53
390001872260	18,72	2,62
390001877178	18,77	1,78
390001960260	19,60	2,62
390002022723	20,22	3,53
390002035170	20,35	1,78
390002090350	20,90	3,53
390002159530	21,59	5,33
390002182350	21,82	3,53
390002189260	21,89	2,62
390002190260	21,90	2,62
390002195170	21,95	1,78
390002339350	23,39	3,53
390002347260	23,47	2,62
390002352170	23,52	1,78
390002399350	23,99	3,53
390002499354	24,99	3,53
390002512170	25,12	1,78
390002600400	26,00	4,00
390002657350	26,57	3,53
390002665260	26,65	2,62
390002670260	26,70	2,62
390002757350	27,57	3,53
390002817350	28,17	3,53
390002825260	28,25	2,62



BEST PARTNER
SEALING · BEARING

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390002830170	28,30	1,78
390002951533	29,51	5,33
390002974350	29,74	3,53
390002982260	29,82	2,62
390002987170	29,87	1,78
390003130353	31,34	3,53
390003142260	31,42	2,62
390003147170	31,47	1,78
390003204350	32,04	3,53
390003292354	32,92	3,53
390003299260	32,99	2,62
390003305170	33,05	1,78
390003380350	33,80	3,53
390003429533	34,29	5,33
390003452353	34,52	3,53
390003459262	34,59	2,62
390003460262	34,60	2,62
390003465170	34,65	1,78
390003609353	36,09	3,53
390003617262	36,17	2,62
390003747530	37,47	5,33
390003769354	37,69	3,53
390003777263	37,77	2,62
390003782170	37,82	1,78
390003920530	39,20	5,33
390003934260	39,34	2,62
390003964530	39,64	5,33
390004064533	40,64	5,33
390004087350	40,87	3,53
390004095262	40,95	2,62
390004100178	41,00	1,78
390004180530	41,80	5,33
390004252260	42,52	2,62
390004382533	43,82	5,33
390004405353	44,05	3,53
390004412260	44,12	2,62
390004417170	44,17	1,78
390004504530	45,04	5,33
390004520531	45,20	5,33
390004569260	45,69	2,62
390004584530	45,84	5,33
390004699530	46,99	5,33
390004722354	47,22	3,53
390004735170	47,35	1,78
390004780502	47,80	5,33
390004920530	49,20	5,33
390005016533	50,17	5,33
390005040350	50,40	3,53
390005047260	50,47	2,62
390005052178	50,52	1,78
390005200262	52,00	2,62
390005200530	52,00	5,33

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390005334533	53,35	5,33
390005357350	53,57	3,53
390005370170	53,70	1,78
390005384260	53,84	2,62
390005450530	54,50	5,33
390005525260	55,25	2,62
390005652530	56,52	5,33
390005675354	56,75	3,53
390005682260	56,82	2,62
390005687170	56,87	1,78
390005752530	57,52	5,33
390005842260	58,42	2,62
390005969530	59,69	5,33
390005992350	59,92	3,53
390006000250	60,00	2,50
390006005170	60,05	1,78
390006154530	61,54	5,33
390006160260	61,60	2,62
390006287533	62,87	5,33
390006310350	63,10	3,53
390006317260	63,17	2,62
390006322170	63,22	1,78
390006459530	64,59	5,33
390006477260	64,77	2,62
390006604530	66,04	5,33
390006627350	66,27	3,53
390006764530	67,64	5,33
390006922530	69,22	5,33
390006945350	69,45	3,53
390006952260	69,52	2,62
390006957170	69,57	1,78
390007064530	70,64	5,33
390007112260	71,12	2,62
390007239530	72,39	5,33
390007262350	72,62	3,53
390007275170	72,75	1,78
390007384530	73,84	5,33
390007557530	75,57	5,33
390007580350	75,80	3,53
390007587262	75,87	2,62
390007592170	75,92	1,78
390007874530	78,74	5,33
390007897350	78,97	3,53
390008009530	80,09	5,33
390008050530	80,50	5,33
390008192533	81,92	5,33
390008215350	82,15	3,53
390008222260	82,22	2,62
390008227170	82,27	1,78
390008339530	83,39	5,33
390008509530	85,09	5,33
390008532350	85,32	3,53



BEST PARTNER
SEALING · BEARING

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390008664530	86,64	5,33
390008822533	88,22	5,33
390008827530	88,27	5,33
390008850350	88,50	3,53
390008862178	88,62	1,78
390008959530	89,59	5,33
390009144534	91,44	5,33
390009167350	91,67	3,53
390009462534	94,62	5,33
390009485350	94,85	3,53
390009492260	94,92	2,62
390009497170	94,97	1,78
390009779530	97,79	5,33
390009802353	98,02	3,53
390010097530	100,97	5,33
390010119350	101,19	3,53
390010127260	101,27	2,62
390010132170	101,32	1,78
390010234530	102,34	5,33
390010400350	104,37	3,53
390010414530	104,14	5,33
390010580530	105,80	5,33
390010732530	107,32	5,33
390010754350	107,54	3,53
390010762260	107,62	2,62
390010767170	107,67	1,78
390011049530	110,49	5,33
390011072350	110,72	3,53
390011300350	113,90	3,53
390011367533	113,67	5,33
390011397260	113,97	2,62
390011402170	114,02	1,78
390011584690	115,84	6,99
390011684530	116,84	5,33
390011684701	116,84	7,00
390011707350	117,07	3,53
390012002530	120,02	5,33
390012002691	120,02	6,99
390012032260	120,32	2,62
390012037170	120,37	1,78
390012319530	123,19	5,33
390012319701	123,19	7,00
390012342350	123,42	3,53
390012637530	126,37	5,33
390012637701	126,37	7,00
390012660350	126,60	3,53
390012660350	126,60	3,53
390012954530	129,54	5,33
390012954700	129,54	6,99
390012977350	129,77	3,53
390013272531	132,72	5,33
390088572621	88,57	2,62

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390013272701	132,72	7,00
390013294350	132,94	3,53
390013302260	133,02	2,62
390013589530	135,89	5,33
390013589701	135,89	7,00
390013612350	136,12	3,53
390013906530	139,06	5,33
390013907700	139,07	7,00
390014224701	142,24	7,00
390014247350	142,47	3,53
390014542700	145,42	7,00
390014572260	145,72	2,62
390014849530	148,49	5,33
390014859533	148,59	5,33
390014859701	148,59	7,00
390014882350	148,82	3,53
390015177701	151,77	7,00
390015200350	152,00	3,53
390015502690	155,02	6,99
390015812701	158,12	7,00
390015835350	158,35	3,53
390015842260	158,42	2,62
390016102690	161,02	6,99
390016447533	164,47	5,33
390016447700	164,47	7,00
390016470353	164,70	3,53
390016470533	164,70	5,33
390016702690	167,02	6,99
390017082700	170,82	7,00
390017105350	171,05	3,53
390017111262	171,11	2,62
390017352690	173,52	6,99
390017717530	177,17	5,33
390017717701	177,17	7,00
390017740350	177,40	3,53
390017747260	177,47	2,62
390018000351	180,00	3,50
390018052690	180,52	6,99
390018352701	183,52	7,00
390018375350	183,75	3,53
390018602690	186,02	6,99
390018987701	189,87	7,00
390019017260	190,17	2,62
390019202690	192,02	6,99
390019622701	196,22	7,00
390019645350	196,44	3,53
390019652260	196,52	2,62
390019902690	199,02	6,99
390020257701	202,57	7,00
390020280351	202,80	3,53
390020287260	202,87	2,62
390020680690	206,80	6,99



BEST PARTNER
SEALING · BEARING

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390020892533	208,92	5,33
390020915350	209,15	3,53
390021102690	211,02	6,99
390021527699	215,27	6,99
390021527701	215,27	7,00
390021557260	215,57	2,62
390021902690	219,02	6,99
390022162534	221,62	5,33
390022192260	221,92	2,62
390022350690	223,50	6,99
390022400380	224,00	3,80
390022797700	227,97	7,00
390022820350	228,20	3,53
390023000350	230,00	3,50
390023102690	231,02	6,99
390023455350	234,55	3,53
390023462260	234,62	2,62
390023500690	235,00	6,99
390024067530	240,67	5,33
390024090350	240,90	3,53
390024302690	243,02	6,99
390024703530	247,03	5,33
390024724350	247,24	3,53
390024800690	248,00	6,99
390025337533	253,37	5,33
390025337700	253,37	7,00
390025360353	253,60	3,53
390025900699	259,00	6,99
390026607533	266,07	5,33
390026607701	266,07	7,00
390026629350	266,29	3,53
390027310690	273,10	6,99
390027877533	278,77	5,33
390027899350	278,99	3,53
390028400690	284,00	6,99
390028750690	287,50	6,99
390029147700	291,47	7,00
390029169350	291,69	3,53

Material FPM		
Article-No.	Inside Ø d1	Thickness d2
390029800690	298,00	6,99
390030200200	302,00	2,00
390030417530	304,17	5,33
390030417690	304,17	6,99
390030439350	304,39	3,53
390031000690	310,00	6,99
390031687700	316,87	7,00
390032957530	329,57	5,33
390032957701	329,57	7,00
390032979350	329,79	3,53
390033650690	336,50	6,99
390034227701	342,27	7,00
390034850690	348,50	6,99
390035497701	354,97	7,00
390035519350	355,19	3,53
390036250690	362,50	6,99
390036767701	367,67	7,00
390037400690	374,00	6,99
390038037701	380,37	7,00
390038059350	380,59	3,53
390038750690	387,50	6,99
390039307701	393,07	7,00
390040100690	401,00	6,99
390041796701	417,96	7,00
390043065701	430,65	7,00
390043066353	430,66	3,53
390045606701	456,06	7,00
390046876701	468,76	7,00
390047200690	472,00	6,99
390048000350	480,00	3,50
390048138530	481,38	5,33
390050687701	506,87	7,00
390053218533	532,18	5,33